

The worlds smallest compressor based air conditioner! This unit is small! Can be used in multiples to provide precise BTU control, and operate from 800 to 1300 BTUH depending on environmental conditions.

Standard Features

- Digital temperature controller with alarm
- Built-in condensate evaporator
- Durable 16 gauge welded steel construction
- Efficient, quiet, long lasting rotary compressor
- Environment friendly HFC refrigerant
- Easy pull-out filter
- UL Listed
- Space saving aesthetic cabinet design
- Designed to mount on side of enclosure while maintaining NEMA type 12, 3R, 4, or 4X integrity



Right Side Heat Discharge Left Side Heat Discharge





Options & Accessories

- Stainless Steel
- Remote Controller Kit
- Replacement Filters
- Corrosive Packages
- Crankcase Heater

Technical Data

Model	BTU	Volts	Max Amps	Weight (lbs.)	Dimensions
IQ1000MM-126	1000	120/60	3.1	21	15.00"H x 5.98"W x 6.3"D
IQ1000MM-236	1000	230/60/50	1.5/1.7	21	15.00"H x 5.98"W x 6.3"D
IQ1300MM-126	1300	120/60	3.2	21	15.00"H x 5.98"W x 6.3"D
IQ1300MM-236	1300	230/60	1.5/1.7	21	15.00"H x 5.98"W x 6.3"D



- Specification
Drawings

1,000
1,300
BTUH


Vertical Mount
Air
Conditioners

ICEcube


Drawings are for illustration purposes only. Data is subject to change.

LEFT SIDE DISCHARGE


TOP VIEW




FRONT VIEW REAR VIEW




LEFT SIDE




RIGHT SIDE



GASKET
DRAWING




CUTOUT
DRAWING




RIGHT SIDE DISCHARGE


TOP VIEW




FRONT VIEW REAR VIEW




RIGHT SIDE



LEFT SIDE



GASKET
DRAWING



CUTOUT
DRAWING

