

IQ5000V16HA, IQ6000V16HA AND IQ8000V16 SPEC DRAWINGS REV 1 480-400VAC

IQ5000V16HA


COOLING CAPACITY: 5000 BTUH @135°F
 MAXIMUM AMPS 3.2/3.5 @480V 60/50HZ
 MAXIMUM AMPS 3.8/4.2 @400V 60/50HZ
 MAXIMUM OPERATING TEMP.: 135°F
 DIMENSIONS: 46.15"H X 15.93"W X 10.34"D
 WEIGHT 130 LBS

IQ6000V16HA

COOLING CAPACITY: 6000 BTUH @135°F
 MAXIMUM AMPS 3.4/3.7 @480V 60/50HZ
 MAXIMUM AMPS 4.0/4.4 @400V 60/50HZ
 MAXIMUM OPERATING TEMP.: 135°F
 DIMENSIONS: 46.15"H X 15.93"W X 10.34"D
 WEIGHT 130 LBS

IQ8000V16




COOLING CAPACITY: 8000 BTUH @131°F
 MAXIMUM AMPS 3.3/3.6 @480V 60/50HZ
 MAXIMUM AMPS 3.9/4.3 @400V 60/50HZ
 MAXIMUM OPERATING TEMP.: 131°F
 DIMENSIONS: 46.15"H X 15.93"W X 10.34"D
 WEIGHT 130 LBS



SIDE VIEW

FRONT VIEW

SIDE VIEW




PROPRIETARY DRAWING
 THIS DRAWING IS THE PROPERTY OF ICE
 CUBE, INC. AND IS NOT TO BE REPLICATED
 OR ALTERED WITHOUT AUTHORIZATION OF
 ICE CUBE, INC.


DRAWN: J.J.H. SCALE: NONE
 DATE: 8-12-10
 SHEET 2 OF 2

	INDUSTRIAL COOLING EQUIPMENT 141 WILSON AVENUE GREENSBURG, PA 15601 724-837-8204 # 1-888-067-8234 FAX 724-837-5086	
	IQ8000V16-5/6000V16HA 480-400VAC	
IQ300801	1	


REAR VIEW



IQ5000V16HA
IQ6000V16HA
IQ8000V16
480-400VAC
CUTOUT DRAWING



IQ5000V16HA
IQ6000V16HA
IQ8000V16
480-400VAC
GASKET DRAWING



IMPORTANT
GASKET MUST BE
APPLIED AS SHOWN
FOR PROPER OPERATION
AND TO MAINTAIN
NEMA INTEGRITY

1	ETHERNET CONNECTION PORT Ø1.250 WAS Ø0.750	6-24-11	JJH
0	INITIAL RELEASE	8-12-10	JJH
REV	DESCRIPTION	DATE	CHECKED
	REVISIONS		

PROPRIETARY DRAWING
THIS DRAWING IS THE PROPERTY OF JEE
CUBIC, INC. AND IS NOT TO BE REPLICATED
OR ALTERED WITHOUT AUTHORIZATION OF
JEE CUBIC, INC.

DRAWN	SCALE
JJH	NONE
DATE	8-12-10
SHEET 1 OF 2	

	INDUSTRIAL COOLING EQUIPMENT 141 WILSON AVENUE GREENSBURG, PA 15601 724-837-8204 # 1-888-067-8234 FAX 724-837-9286
	IQ8000V16-5/6000V16HA 480-400VAC
IQ300801	1