



# IECEX Certificate of Conformity

## INTERNATIONAL ELECTROTECHNICAL COMMISSION IEC Certification Scheme for Explosive Atmospheres

for rules and details of the IECEx Scheme visit [www.iecex.com](http://www.iecex.com)

Certificate No.: IECEx QPS 18.0007X

Issue No: 0

Certificate history:

[Issue No. 0 \(2018-08-28\)](#)

Status: **Current**

Page 1 of 3

Date of Issue: **2018-08-28**

Applicant: **Ice Qube Inc.**  
141 Wilson Avenue  
Greensburg, PA. 15601  
**United States of America**

Equipment: **Air conditioners, Models IQ4000EX, IQ5000EX, IQ6000EX, IQ8000EX, IQ10000EX, IQ12000EX**

*Optional accessory:*

Type of Protection: **Flameproof "d", Increased Safety "e", Intrinsic Safety "ib"**

Marking:  
IECEX QPS 18.0007X  
Ex db e ib IIB+H2 T4 Gb  
Tamb: -40°C to +60°C

*Approved for issue on behalf of the IECEx  
Certification Body:*

Dave Adams, P. Eng.

*Position:*

Manager, Hazardous Locations Department [Ex Equipment]

*Signature:  
(for printed version)*

*Date:*

1. This certificate and schedule may only be reproduced in full.
2. This certificate is not transferable and remains the property of the issuing body.
3. The Status and authenticity of this certificate may be verified by visiting the [Official IECEx Website](#).

Certificate issued by:

**QPS  
Evaluation Services Inc.  
81 Kelfield St  
Unit 8  
Toronto, Ontario M9W 5A3  
Canada**





# IECEX Certificate of Conformity

Certificate No: IECEX QPS 18.0007X Issue No: 0

Date of Issue: **2018-08-28** Page 2 of 3

Manufacturer: **Ice Qube Inc.**  
141 Wilson Avenue  
Greensburg, PA 15601  
**United States of America**

Additional Manufacturing location(s):

This certificate is issued as verification that a sample(s), representative of production, was assessed and tested and found to comply with the IEC Standard list below and that the manufacturer's quality system, relating to the Ex products covered by this certificate, was assessed and found to comply with the IECEX Quality system requirements. This certificate is granted subject to the conditions as set out in IECEX Scheme Rules, IECEX 02 and Operational Documents as amended.

## STANDARDS:

The apparatus and any acceptable variations to it specified in the schedule of this certificate and the identified documents, was found to comply with the following standards:

<b>IEC 60079-0 : 2017</b> Edition:7.0	Explosive atmospheres - Part 0: Equipment - General requirements
<b>IEC 60079-1 : 2014-06</b> Edition:7.0	Explosive atmospheres - Part 1: Equipment protection by flameproof enclosures "d"
<b>IEC 60079-11 : 2011</b> Edition:6.0	Explosive atmospheres - Part 11: Equipment protection by intrinsic safety "i"
<b>IEC 60079-7 : 2015</b> Edition:5.0	Explosive atmospheres – Part 7: Equipment protection by increased safety "e"

*This Certificate **does not** indicate compliance with electrical safety and performance requirements other than those expressly included in the Standards listed above.*

## TEST & ASSESSMENT REPORTS:

*A sample(s) of the equipment listed has successfully met the examination and test requirements as recorded in*

### Test Report:

<a href="#">CA/QPS/ExTR18.0010/00</a>	<a href="#">US/UL/ExTR14.0004/00</a>	<a href="#">US/UL/ExTR14.0004/01</a>
<a href="#">US/UL/ExTR14.0004/02</a>	<a href="#">US/UL/ExTR14.0004/03</a>	<a href="#">US/UL/ExTR14.0004/04</a>

### Quality Assessment Report:

[US/UL/QAR14.0007/02](#)



# IECEX Certificate of Conformity

Certificate No: IECEx QPS 18.0007X

Issue No: 0

Date of Issue: 2018-08-28

Page 3 of 3

## Schedule

### EQUIPMENT:

*Equipment and systems covered by this certificate are as follows:*

Air Conditioner models IQ4000EX, IQ5000EX, IQ6000EX, IQ8000EX, IQ10000EX, IQ12000EX are intended to be mounted to an adjacent enclosure. The evaporator compartment freely communicates with the adjacent, blowing the conditioned air. The condenser compartment is open to the surrounding atmosphere.

Electrical Rating: Refer to Annex page for detail.

### SPECIFIC CONDITIONS OF USE: YES as shown below:

- Please contact Ice Qube with any questions regarding services before opening or altering the system from its original factory configuration.
- Surfaces are to be cleaned only with a damp cloth to avoid build-up of electrostatic charge.
- Cable type should be a flexible conduit that is effectively clamped to prevent twisting and pulling.

### Annex:

[IECEX QPS18\\_0007X\\_Annex .pdf](#)



## QPS Evaluation Services Inc.

Testing, Certification and Field Evaluation Body  
Accredited in Canada, the USA, and Internationally

**ANNEX to IECEx QPS 18.0007X Issue No: 0, Date: 2018-08-10**

Electrical Rating;

UNIT MODEL	VOLTAGE	FREQUENCY	AMPERAGE	REFRIGERANT TYPE	CHARGE QUANTITY	T CODE
IQ4000EX	220	50/60	7.44	407C	18oz	T4
	230		8.80			
	240		7.35/8.64			
IQ5000EX	220		7.74		22oz	
	230		9.53			
	240		7.59/9.40			
IQ6000EX	220		8.69		28oz	
	230		10.47			
	240		8.57/10.31			
IQ8000EX	220		10.69		60oz	
	230		11.33			
	240		10.59/11.19			
IQ10000EX	220	10.89	64oz			
	230	11.64				
	240	10.78/11.48				
IQ12000EX	220	11.20	74oz			
	230	12.07				
	240	11.09/11.89				

**YOUR FULL SERVICE PARTNER IN GLOBAL CONFORMITY ASSESSMENT**

81 Kelfield Street, Units 7-10, Toronto, ON M9W 5A3, Canada, Ph: 416-241-8857 Fax: 416-241-0682  
 6600 TransCanada Highway, Suite 750, Pointe Claire, QC H9R 4S2, Canada Ph: 514-693-2808  
 5005 Rockside Road, Suite 600, Independence, OH 44131-6827 Ph: 216-377-3191 Fax: 216-377-3192  
 Web Site [www.qps.ca](http://www.qps.ca) and [www.qpscertainment.com](http://www.qpscertainment.com)  
 Toll Free: 1- 877-746-4777