

IQ12000EV 120V/60HZ CAPACITY CHART

WATTS BTU/HR

7,327 25000

5,861 20000

4,396 15000

2,931 10000

1,465 5000

0

0

77

86

95

104

113

122

131

140 °F

25.0

30.0

35.0

40.0

45.0

50.0

55.0

60.0 °C

RETURN AIR TEMPERATURE

77°F/25°C


95°F/35°C

113°F/45°C


131°F/55°C

140°F/60°C

AMBIENT TEMPERATURE



IQ12000EV 220V/50HZ CAPACITY CHART



IQ12000EV 230V/60HZ CAPACITY CHART

WATTS BTU/HR

7,327 25000

5,861 20000

4,396 15000

2,931 10000

1,465 5000

0

0

77

86

95

104

113

122

131

140 °F

25.0

30.0

35.0

40.0

45.0

50.0

55.0

60.0 °C

RETURN AIR TEMPERATURE

77°F/25°C


95°F/35°C

113°F/45°C


131°F/55°C

140°F/60°C

AMBIENT TEMPERATURE



IQ12000EV 400V/50HZ CAPACITY CHART



IQ12000EV 400V/60HZ CAPACITY CHART

WATTS BTU/HR

7,327 25000

5,861 20000

4,396 15000

2,931 10000

1,465 5000

0

0

77

86

95

104

113

122

131

140 °F

25.0

30.0

35.0

40.0

45.0

50.0

55.0

60.0 °C

RETURN AIR TEMPERATURE

77°F/25°C


95°F/35°C

113°F/45°C


131°F/55°C

140°F/60°C

AMBIENT TEMPERATURE



IQ12000EV 480V/50HZ CAPACITY CHART



IQ12000EV 480V/60HZ CAPACITY CHART

WATTS BTU/HR

7,327 25000

5,861 20000

4,396 15000

2,931 10000

1,465 5000

0

0

77

86

95

104

113

122

131

140 °F

25.0

30.0

35.0

40.0

45.0

50.0

55.0

60.0 °C

RETURN AIR TEMPERATURE

77°F/25°C

95°F/35°C

113°F/45°C

131°F/55°C

140°F/60°C

AMBIENT TEMPERATURE

