



IQ14000V
 NOMINAL COOLING CAPACITY:
 14750 BTUH (4323W) @ 131-131°F (55-55°C) 220/480 50HZ
 12750 BTUH (3737W) @ 95-95°F (35-35°C) 220/480 50HZ
 15100 BTUH (4425W) @ 131-131°F (55-55°C) 230/480 60HZ
 12900 BTUH (3780W) @ 95-95°F (35-35°C) 230/480 60HZ
 MAXIMUM AMPS: 12.6/11.6 @ 230V 50/60HZ
 MAXIMUM AMPS: 6.2/5.6 @ 480V 50/60HZ
 MAXIMUM OPERATING TEMP: 131°F (55°C)
 MINIMUM OPERATING TEMP: -40°F (-40°C)
 DIMENSIONS: 56.00" (1422MM) H X 20.06" (510MM) W X 14.31" (364MM) D
 WEIGHT: 200LB (90.72KG) @ 230V
 WEIGHT: 252LB (114.3KG) @ 480V

							ITEM NUMBER N/A	USED ON IQ14000V	UNLESS OTHERWISE SPECIFIED TOLERANCES .X ±.060 .XX ±.030 .XXX ±.015 FRACTIONAL ±1/16 ANGULAR ±1/2° SURFACE FINISH 63		ICE QUBE, INC. THIS IS A PROPRIETARY DOCUMENT. DO NOT REPRODUCE OR DISCLOSE WITHOUT THE EXPRESS WRITTEN PERMISSION OF ICE QUBE, INC.	
							MATERIAL N/A				DESCRIPTION SPEC DRAWING	
							EST WT: lbs				DRAWING NUMBER IQ352302	
							DRAWN BY NAT	DATE 2/3/2020	SCALE 1:12	DO NOT SCALE DRAWING DIMENSIONS ARE INCHES		REV B
B	UPDATED VIEWS; ADDED PERFORMANCE AT 131-131°F AND 95-95°F					NAT	7/6/2021					
A	INITIAL DRAFT					NAT	2/10/2020					
REV	REVISION					CHG	DATE	APP	DATE	CN #		

