


A IQ4000VXS
COOLING CAPACITY: 4000 BTUH (1173W) @125°F (51.7°C)
MAXIMUM AMPS: 2.3 (1104W) @480V 60HZ
MAXIMUM OPERATING TEMP: 125°F (51.7°C)
MINIMUM OPERATING TEMP: -40°F (-40°C)
DIMENSIONS: 40.03" (1017MM) H X 11.50" (295MM) W X 15.00" (381MM) D
WEIGHT: 136 LBS (61.8KG)



D	REVISED CUTOUT	SRZ	4/15/2020	JWS	4/1/2020	ECN-1429
C	ADDED CFM, dBA, AND CLEARANCE INFO	RCC	3/22/2018			1351
B	ADDED WATTAGE INFO	RCC	12/15/2017			
A	REDRAWN IN SW	RCC	4/3/2017			
REV	REVISION	CHG	DATE	APP	DATE	CN #

ITEM NUMBER	N/A
MATERIAL	N/A
EST WT:	lbs
DRAWN BY	RCC
DATE	4/3/2017
SCALE	1:8

USED ON	IQ4000VXS
UNLESS OTHERWISE SPECIFIED TOLERANCES	
.X	±.060
.XX	±.030
.XXX	±.015
FRACTIONAL	±1/16
ANGULAR	±1/2°
SURFACE FINISH	63
DO NOT SCALE DRAWING DIMENSIONS ARE INCHES	

ICE QUBE, INC.	THIS IS A PROPRIETARY DOCUMENT. DO NOT REPRODUCE OR DISCLOSE WITHOUT THE EXPRESS WRITTEN PERMISSION OF ICE QUBE, INC.
DESCRIPTION	IQ4000VXS SPEC DRAWING, 480V
DRAWING NUMBER	IQ350572
REV	D



ITEM NUMBER <i>N/A</i>		USED ON <i>IQ4000VXS</i>		UNLESS OTHERWISE SPECIFIED TOLERANCES .X ± .060 .XX ± .030 .XXX ± .015 FRACTIONAL ± 1/4 ANGULAR ± 1/2°		 ICE QUBE, INC. <small>THIS IS A PROPRIETARY DOCUMENT. DO NOT REPRODUCE OR DISCLOSE WITHOUT THE EXPRESS WRITTEN PERMISSION OF ICE QUBE, INC.</small>	
MATERIAL <i>N/A</i>				DESCRIPTION <i>IQ4000VXS SPEC DRAWING, 480V</i>			
EST WT: lbs				SURFACE FINISH 		DRAWING NUMBER	
DRAWN BY <i>RCC</i>		DATE <i>4/3/2017</i>		SCALE <i>1:6</i>		<i>IQ350572</i> REV <i>D</i>	
				DO NOT SCALE DRAWING DIMENSIONS ARE INCHES			