

IQ6000VS12 400V/50HZ CAPACITY CHART

WATTS BTU/HR

2,345 8000

2,051 7000

1,758 6000

1,465 5000


1,172 4000

879 3000

586 2000

293 1000

0 0



77 83 89 95 101 107 113 119 125 131 °F

25.0 28.3 31.7 35.0 38.3 41.7 45.0 48.3 51.7 55.0 °C


RETURN AIR TEMPERATURE

AMBIENT TEMPERATURE

IQ6000VS12 400V/60HZ CAPACITY CHART

WATTS BTU/HR

2,638 9000
2,345 8000
2,051 7000
1,758 6000
1,465 5000
1,172 4000
879 3000
586 2000
293 1000
0 0



77 83 89 95 101 107 113 119 125 131 °F

25.0 28.3 31.7 35.0 38.3 41.7 45.0 48.3 51.7 55.0 °C


RETURN AIR TEMPERATURE

AMBIENT TEMPERATURE

IQ6000VS12 480V/50HZ CAPACITY CHART

WATTS BTU/HR

2,345 8000
2,051 7000
1,758 6000
1,465 5000
1,172 4000
879 3000
586 2000
293 1000
0 0



77 83 89 95 101 107 113 119 125 131 °F

25.0 28.3 31.7 35.0 38.3 41.7 45.0 48.3 51.7 55.0 °C

RETURN AIR TEMPERATURE

AMBIENT TEMPERATURE

IQ6000VS12 480V/60HZ CAPACITY CHART

WATTS BTU/HR

2,638 9000

2,345 8000

2,051 7000

1,758 6000

1,465 5000


1,172 4000

879 3000

586 2000

293 1000

0 0



77 83 89 95 101 107 113 119 125 131 °F

25.0 28.3 31.7 35.0 38.3 41.7 45.0 48.3 51.7 55.0 °C

RETURN AIR TEMPERATURE

AMBIENT TEMPERATURE