


IQ800FPP SPEC DRAWING


860/800 CFM FREE AIR @ 120/110 VAC 60/50 HZ  
 PUSH-PULL : 1720/1600 CFM FREE AIR @ 120/110 VAC 60/50 HZ  
 860/800 CFM FREE AIR @ 230/220 VAC 60/50 HZ  
 PUSH-PULL : 1720/1600 CFM FREE AIR @ 230/220 VAC 60/50 HZ  
 MAXIMUM AMPS : .98/1.08 @ 120/110 VAC 60/50 HZ  
 PUSH-PULL : MAXIMUM AMPS : 1.96/2.16 @ 120/110 VAC 60/50 HZ  
 MAXIMUM AMPS : .48/.53 @ 230/220 VAC 60/50 HZ  
 PUSH-PULL : MAXIMUM AMPS : .96/1.06 @ 230/220 VAC 60/50 HZ  
 MAXIMUM OPERATING TEMPERATURE : 158°F

WEIGHT: 6 LBS


TOP




FRONT




RIGHT SIDE



IQ800FPP  
CUTOUT



IQ800FPP  
REAR VIEW



REV	DESCRIPTION	DATE	CHECKED
3	ADDED PUSH-PULL	6-12-17	RCC
2	UPDATED SPEC	2-10-10	JMH
1	UPDATED SPEC	11-14-08	JMH
0	INITIAL RELEASE	8-26-08	JMH

PROPRIETARY DRAWING  
 THIS DRAWING IS THE PROPERTY OF ICE  
 EQUIPMENT, INC. AND IS NOT TO BE REPRODUCED  
 OR ALTERED IN ANY MANNER WITHOUT THE  
 WRITTEN PERMISSION OF ICE EQUIPMENT, INC.

DRAWN: JMH  
 SCALE: NONE  
 DATE: 8-26-08  
 SHEET 1 OF 1

**ICEcube** INDUSTRIAL CHILLER DIVISION  
 14 MILLER ROAD  
 ROCKFORD, PA 15880  
 781-837-8881 or 1-800-842-8881  
 FAX: 781-837-8882

PART NAME: **IQ800FPP**  
 DWG NO: **IQ280818** REV: **3**